

SDS Revision Date: 08/19/2016

1. Identification

1.1. Product identifier

Prime Rez 1100 Component A

Alternate Names

Prime Rez 1100 - Component A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Epoxy Resin

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Prime Resins, Inc.

2291 Plunkett Road Conyers, GA 30012

Emergency

CHEMTREC (USA) (800) 424-9300

24 hour Emergency Telephone No. For International Calls +1 703-527-3887

Customer Service: Prime Resins, Inc. (770) 388-0626

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Acute Tox. 4;H332 Harmful if inhaled.
Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation.

Skin Sens. 1;H317 May cause an allergic skin reaction.

Muta. 2;H341 Suspected of causing genetic defects.

STOT SE 3;H335 May cause respiratory irritation.

Aquatic Chronic 2;H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.







SDS Revision Date: 08/19/2016

Warning

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H411 Toxic to aquatic life with long lasting effects.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P235 Keep cool.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / light / equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P362 Take off contaminated clothing and wash before reuse.



SDS Revision Date: 08/19/2016

P363 Wash contaminated clothing before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

P391 Collect spillage.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Diglycidyl ether of bisphenol A CAS Number: 0025068-38-6	65 - 85	Eye Irrit. 2;H319 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Chronic 2;H411	[1]
Oxirane, (butoxymethyl)- CAS Number: 0002426-08-6	10-25	Muta. 2;H341 Acute Tox. 4;H332 Acute Tox. 4;H302 STOT SE 3;H335 Skin Sens. 1;H317 Aquatic Chronic 3;H412	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

^{*}The full texts of the phrases are shown in Section 16.



SDS Revision Date: 08/19/2016

Skin Immediately take off all contaminated clothing. For skin contact, wash immediately with

soap and water. If irritation persists, get medical attention.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Eyes: Irritating to the eyes

Skin: May cause skin irritation; potential sensitizer. Skin inflammation is characterized by

itching, scaling and reddening.

Inhalation: May cause lung irritation; potential sensitizer

Ingestion: Swallowing small amounts of this material during normal handling is unlikely and is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Reproductive or genetic defect hazard. See section 2 for further details.

Inhalation Harmful if inhaled. May cause respiratory irritation.

Eyes Causes serious eye irritation.

Skin May cause an allergic skin reaction. Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

CO₂, dry chemical, dry sand, water fog, limestone powder

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon monoxide, carbon dioxide, aldehydes, and various compounds from incomplete combustion.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Keep cool.

Ground / bond container and receiving equipment.

Use explosion-proof electrical / ventilating / light / equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

At higher temperature vapors can cause pressure buildup in sealed containers. Use water to cool containers exposed to fire. Self-contained respirator equipment and full protective clothing required when smoke or fumes are generated. Electrical grounding not recommended.

ERG Guide No. ----



SDS Revision Date: 08/19/2016

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

For major spills call Chemtrec (800-424-9300).

Clean up should only be performed by trained personnel. People dealing with major spillages should wear full protective clothing including appropriate respiratory protection. Evacuate the area. Prevent further leakage, spillage or entry into drains.

7. Handling and storage

7.1. Precautions for safe handling

Avoid breathing aerosols, mists and vapors. Avoid contact with skin and eyes.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Water, amines, strong bases, alcohols, metal compounds and surface-active materials If container is exposed to high heat, it can be pressurized and possibly rupture explosively. Keep the container tightly closed and in a cool, well-ventilated place.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.



SDS Revision Date: 08/19/2016

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0002426-08-6	Oxirane, (butoxymethyl)-	OSHA	TWA 50 ppm (270 mg/m ³)
		ACGIH	TWA: 3 ppmSkin, S, R, Revised 2005,
		NIOSH	C 5.6 ppm (30 mg/m³) [15-minute]
	Supplier	No Established Limit	
0025068-38-6	Diglycidyl ether of bisphenol A	OSHA	No Established Limit
		ACGIH	No Established Limit
	NIOSH	No Established Limit	
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingr	edient Sour		Value
0002426-08-6	Oxirane, (butoxymethyl)-		OSHA	Select Carcinogen: No
		NTF		Known: No; Suspected: No
	IA		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0025068-38-6	Diglycidyl ether	OSHA	Sel	ect Carcinogen: No
	of bisphenol A	NTP	Kno	own: No; Suspected: No
		IARC	Gro	oup 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory When the product is sprayed or heated without adequate ventilation, an approved

MSHA/NIOSH positive-pressure, supplied-air respirator may be required.

Eyes Wear safety glasses; chemical goggles (if splashing is possible).

Skin Protective clothing should be selected. Gloves - neoprene, nitrile rubber, butyl rubber. Thin

latex disposable gloves should be avoided for repeated or long-term use.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:



SDS Revision Date: 08/19/2016

9. Physical and chemical properties

Appearance Clear Liquid

Odor Sweet

Odor thresholdNot MeasuredpHNot availableMelting point / freezing pointNot available

Initial boiling point and boiling range > 327°F

Flash Point > 58°C Pensky Martin Closed Cup

Evaporation rate (Ether = 1) Slower (Butyl Acetate = 1)

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not available

Upper Explosive Limit: Not available

Vapor pressure (Pa)Not determinedVapor DensityNot availableSpecific Gravity1.12 @ 77°F

Solubility in Water Slight

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Decomposition temperature

Viscosity (cSt)

Not Measured

Not available

Not available

VOC Content None

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Polymerization may occur at elevated temperatures in the presence of alkalis, tertiary amines and metal compounds.

10.2. Chemical stability

Stable under normal handling and storage conditions

10.3. Possibility of hazardous reactions

By high heat and fire: carbon dioxide and carbon monoxide.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials



SDS Revision Date: 08/19/2016

Water, amines, strong bases, alcohols, metal compounds and surface-active materials

10.6. Hazardous decomposition products

Carbon monoxide, carbon dioxide, aldehydes, and various compounds from incomplete combustion.

11. Toxicological information

Acute toxicity

Based on the properties of the epoxy constituents and considering toxicological data on similar preparations this preparation may be an irritant and a skin and respiratory sensitizer. Low molecular weight epoxy constituents are irritating to eyes, mucous membranes and skin. Repeated skin contact may lead to irritation and sensitization, possibly with cross-sensitization to other epoxies. Skin contact with the preparation and exposure to spray mist and vapor should be avoided.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Diglycidyl ether of bisphenol A - (25068-38-6)	> 5,000.00, Rat - Category: NA	20,000.00, Rabbit - Category: NA	No data available	No data available	No data available
Oxirane, (butoxymethyl) (2426-08-6)	1,660.00, Rat - Category: 4	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)	4	Harmful if inhaled.
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	2	Suspected of causing genetic defects.
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure	3	May cause respiratory irritation.
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable



SDS Revision Date: 08/19/2016

12. Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Diglycidyl ether of bisphenol A - (25068-38-6)	3.10, Pimephales promelas	1.40, Daphnia magna	Not Available
Oxirane, (butoxymethyl) (2426-08-6)	Not Available	3.90, Daphnia magna	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.



SDS Revision Date: 08/19/2016

14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA

Transportation) Transportation)

14.1. UN number Not Applicable Not Regulated Not Regulated

14.2. UN proper shipping Not Regulated Not Regulated Not Regulated name

14.3. Transport hazard DOT Hazard Class: Not **IMDG:** Not Applicable **Air Class:** Not Applicable

class(es) Applicable Sub Class: Not Applicable

14.4. Packing groupNot ApplicableNot ApplicableNot Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: Yes (Diglycidyl ether of bisphenol A)

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification B3 D2A

US EPA Tier II Hazards Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes
Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):



SDS Revision Date: 08/19/2016

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Oxirane, (butoxymethyl)-

Pennsylvania RTK Substances (>1%):

Oxirane, (butoxymethyl)-

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet. However, SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

End of Document



Safety Data Sheet Prime Rez 1100 Component A SDS Revision Date: 08/19/2016



SDS Revision Date: 06/02/2016

1. Identification

1.1. Product identifier

Prime Rez 1100 - Component B

Alternate Names Prime Rez 1100 - Component B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Epoxy Hardener

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Prime Resins, Inc.

2291 Plunkett Road Conyers, GA 30012

Emergency

CHEMTREC (USA) (800) 424-9300

24 hour Emergency Telephone No. For International Calls +1 703-527-3887

Customer Service: Prime Resins, Inc. (770) 388-0626

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Acute Tox. 4;H302 Harmful if swallowed.

Acute Tox. 4;H312 Harmful in contact with skin.

Skin Corr. 1;H314 Causes severe skin burns and eye damage.

Eye Dam. 1;H318 Causes serious eye damage.

Repr. 2;H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Aquatic Chronic 1;H410 Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.





SDS Revision Date: 06/02/2016

Danger

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H361Fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P310 Immediately call a POISON CENTER or doctor / physician.

P322 Specific measures (see information on this label).

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

[Storage]:



SDS Revision Date: 06/02/2016

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Polyoxypropylenediamine CAS Number: 0009046-10-0	25 - 50	Skin Corr. 1;H314	[1]
2-piperazin-1 ethylamine CAS Number: 140-31-8	25 - 50	Acute Tox. 4;H302 Acute Tox. 4;H312 Skin Corr. 1B;H314 Skin Sens. 1, H317 Aquatic Chronic 3;H412	[1]
Phenol, 4-nonyl-, branched CAS Number: 0084852-15-3	25 - 50	Repr. 2;H361fd Acute Tox. 4;H302 Skin Corr. 1B;H314 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

^[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.



SDS Revision Date: 06/02/2016

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Immediately take off all contaminated clothing. For skin contact, wash immediately with

soap and water. If irritation persists, get medical attention.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Inhalation: Inhalation is unlikely due to the low vapor pressure. If misted or handled at

elevated temperatures, high concentrations may cause respiratory tract irritation.

Skin: May cause irritation with symptoms of reddening and itching. May cause allergic skin reaction with symptoms of reddening, itching, swelling, and rash. May cause sensitization of

susceptible persons.

Chronic Skin: Prolonged contact can cause reddening, swelling, rash, and, in some cases,

skin sensitization.

Eye: Irritant

Ingestion: Ingestion is not a typical route of industrial exposure. Not expected to be harmful

if swallowed in small amounts.

Note to Physician: Symptomatic and supportive therapy as needed. Following severe

exposure, medical follow-up should be monitored for at least 48 hours.

See section 2 for further details.

Eyes Causes serious eye damage.

Skin Harmful in contact with skin. Causes severe skin burns and eye damage.

5. Fire-fighting measures

5.1. Extinguishing media

Water spray, dry chemical, alcohol foam, carbon dioxide

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High heat and fire may produce carbon dioxide, carbon monoxide, and oxides of nitrogen. Do not breathe mist / vapors / spray.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing, and face mask.

ERG Guide No. 154



SDS Revision Date: 06/02/2016

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Cleanup personnel must use appropriate personal protective equipment. Evacuate and keep unnecessary people out of spill area.

Cover spill with inert material (e.g., dry sand or earth) and collect for proper disposal. Prevent from entering open drains and waterways. Ventilate area to remove vapors or dust.

7. Handling and storage

7.1. Precautions for safe handling

Material is not considered hazardous as handled in most industrial operations. Exercise reasonable care and cleanliness. Spills of these organic liquids on hot fibrous insulation may lead to lowering of the auto-ignition temperature, possibly resulting in spontaneous combustion.

The reaction of polyols and isocyanates generate heat. Contact by the reacting materials with skin or eyes can cause severe burns and may be difficult to remove from the affected areas. Immediately wash affected areas with plenty of water and seek medical assistance.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Water, amines, strong bases, alcohols, metal compounds and surface-active materials Store in sealed containers. Protect from atmospheric moisture. Replace outage with dry, inert atmosphere.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection



Safety Data Sheet Prime Rez 1100 - Component B SDS Revision Date: 06/02/2016

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0009046-10-0	046-10-0 Polyoxypropylenediamine		No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
140-31-8	40-31-8 2-piperazin-1-ethylamine	OSHA	No Established Limit
		ACGIH	No Established Limit
	NIOSH	No Established Limit	
	Supplier	No Established Limit	
0084852-15-3	Phenol, 4-nonyl-, branched	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0009046-10-0	Polyoxypropylenediamine	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
140-31-8	2-piperazin-1-ethylamine	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0084852-15-3	Phenol, 4-nonyl-, branched	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls



SDS Revision Date: 06/02/2016

Respiratory For most conditions, no respiratory protection should be needed; however, if handling at

elevated temperatures without sufficient ventilation, use an approved air-purifying

respirator. In misty atmospheres, use an approved organic vapor respirator in combination

with a dust/mist filter.

Eyes Use chemical goggles.

Skin Protective clothing should be selected. Use gloves impervious to this material when

prolonged or frequently repeated contact could occur. If hands are cut or scratched, use

gloves impervious to this material even for brief exposures.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Amber Liquid
Odor Ammonia
Odor threshold Not Measured
pH Not available
Melting point / freezing point Not available
Initial boiling point and boiling range > 500°F

Flash Point > 93°C Pensky Martin Closed Cup

Evaporation rate (Ether = 1) Not available
Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not available

Upper Explosive Limit: Not available

Vapor pressure (Pa) Nil
Vapor Density > 1.0

Specific Gravity $0.972 @ 77^{\circ}F (H_2O = 1)$

Solubility in Water 50%

Partition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosity (cSt)Not availableVOC ContentNot available

9.2. Other information



SDS Revision Date: 06/02/2016

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Polymerization may occur at elevated temperatures in the presence of alkalis, tertiary amines and metal compounds.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Water, amines, strong bases, alcohols, metal compounds and surface-active materials

10.6. Hazardous decomposition products

High heat and fire may produce carbon dioxide, carbon monoxide, and oxides of nitrogen.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Polyoxypropylenediamine - (9046-10-0)	1,100.00, Rat - Category: 4	980.00, Rabbit - Category: 3	No data available	No data available	No data available
2-piperazin-1-ethylamine (140-31-8)	2,107.50 Rat- Category:5	866.80, Rabbit Category: 3	No data available	No data available	No data available
Phenol, 4-nonyl-, branched - (84852-15-3)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	4	Harmful if swallowed.
Acute toxicity (dermal)	4	Harmful in contact with skin.



SDS Revision Date: 06/02/2016

Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	1	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Suspected of damaging fertility. Suspected of damaging the unborn child.
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

Very toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Polyoxypropylenediamine - (9046-10-0)	Not Available	15.00, Daphnia magna	Not Available
2-piperazin-1-ethylamine (140-31-8)	100.00, Oncorhynchus mykiss	32.00, Daphnia magna	495.00 (72 hr), Pseudokirchneriella subcapitata
Phenol, 4-nonyl-, branched - (84852-15-3)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.



SDS Revision Date: 06/02/2016

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA		
14.1. UN number	UN1760	UN1760	UN1760		
14.2. UN proper shipping name	Corrosive Liquid, N.O.S., (2-piperazin-1-ethylamine, Alkylated phenol, Polyoxypropylene diamine)	Corrosive Liquid, N.O.S., (2-piperazin-1-ethylamine, Alkylated phenol, Polyoxypropylene diamine)	Corrosive Liquid, N.O.S., (2-piperazin-1-ethylamine, Alkylated phenol, Polyoxypropylene diamine)		
14.3. Transport hazard class(es)	8	8 Sub Class: Not Applicable	8		
14.4. Packing group	III	III	III		
14.5. Environmental hazards					
IMDG	Marine Pollutant: Yes (Phenol, 4-nonyl-, branched)				

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory.

WHMIS Classification B3 D2A E



SDS Revision Date: 06/02/2016

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

2-piperazin-1-ethylamine

Pennsylvania RTK Substances (>1%):

2-piperazin-1-ethylamine

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.



SDS Revision Date: 06/02/2016

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet. However, SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

End of Document